



🏠 **Add : Shed No. C-36 Ved Industrial Park -2,  
B/h Shreenathji Estate, Kathwada, Ahmedabad.**

✉ **jcandsonstechnology.com**

☎ **+91 90165 66690**



## **MANUAL PAPAD MACHINE**

### **Specifications**

- ➔ **Motor:- 0.50 HP**  
**CAPACITY:- 350 TO 400 / per hour**
- ➔ **Voltage:-220 V(Single phase)**  
**Machine size:- 33×21×24**
- ➔ **Weight:-60 kg**



## Papad making Machine

### Specifications

- Motor :- 0.50 Hp(with Gear box)
- Capacity :- 1000 to 1500 pis per hour  
Size depends production capacity
- Weight :- 75 kg
- Size :- 4×3×2 feet
- West collection :- Yes
- Speed controller Charge extra





## **Panipuri Machine**

### **Specifications**

- **Motor :- 0.50 Hp(with Gear box)**
- **Capacity :- 2500 to 3000 pis per hour**  
**Size depends production capacity**
- **Weight :- 75 kg**
- **Size :- 4×3×2 feet**
- **West collection :- Yes**
- **Speed controller Charge extra**



## **SAKKAR PARA MACHINE [Namkin Machine]**

### **Specifications**

- **Motor :- 0.50 Hp(with Gear box)**
- **Capacity :- 2500 to 3000 pis per hour**  
**Size depends production capacity**
- **Weight :- 75 kg**
- **Size :- 4×3×2 feet**
- **West collection :- Yes**
- **Speed controller Charge extra**



## PASTA MAKING MACHINE

### SPECIFICATIONS

Model	Capacity (kg/h)	POWER	Weight	Package Size (mm)
TP-60 Patsa Machine	20-25	3HP 1PH		820*480*660
TP-80 Pasta Machine	45-60	4.5HP 1PH	125 KG	860*570*810
TP-100 Pasta Machine	75-80	5HP 3PH	150 KG	900*610*875
MIXER MACHINE	10-15	0.5HP	26 KG	530*400*710

**ALL MACHINE INCLUDING MOTOR  
GST@18% EXTRA ON**



## MINI DAL MILL MACHINE

### Specifications

- ➔ 3 HP Three/Single Phase Electric Motor
- ➔ Blower: Cyclone-Aspirator Dehusking Unit
- ➔ Cleaning & Grading Unit
- ➔ Fatka Machine Attached
- ➔ Sieves For All Types Of Pulses
- ➔ Oil & Water Treatment System
- ➔ Capacity 100 To 150 Kg/hr



## BLOWER TYPE PULVERIZER MACHINE

### Specifications

MODEL	SIZE OF CHAMBER	GRINDING CAPACITY
2HP	4 X 8	15 TO 20 KG
3HP	5 X 10	20 TO 30 KG
5HP	6 X 12	30 TO 50 KG
7.5HP	7 X 12	50 TO 80 KG
10 HP	7 X 14	80 TO 100 KG
12.50 HP	8 X 14	100 TO 130 KG
15HP	9 X 16	100 TO 140 KG
20HP	10 X 20	130 TO 150 KG

- Iso Certified
- Belt & Pulli Including
- Bag Clothing Including
- Hummer Patti Mix
- 5 Jali
- Bellansing Alliament Of Machine



## **KHIRU MAKING MACHINE**

### **SPECIFICATIONS**

➔ MOTOR	:	1.5 HP
➔ WEIGHT	:	60 KG
➔ CAPACITY	:	40 TO 60 KG/HOURS
➔ SIZE	:	21×13×32

**SIDE COVER SS METRIYEL  
CHAMBER:- CASTING METRIYEL INNER STONE SYSTEM.  
ADJUSTABLE HOPPER SS METRIYEL**



## **NAMKEEN / FARSAN / MASALA MIXING MACHINE**

### **SPECIFICATIONS**

- ➔ **MOTOR** : 0.5 HP
- ➔ **CAPACITY** : 10-30 KG
- ➔ **DRUM SIZE** : 24" X 12" X 14"



## Dz-400 Vaccum Packing Machine

### SPECIFICATIONS

➡ Voltage	:	220/50Hz
➡ Hot power sealing	:	0.5 kw
➡ Ultimate vaccum pressure	:	1(kpa)
➡ No. Of Sealing bars for each Chamber	:	2
➡ Vacuum Chamber dimension	:	420*430*70
➡ Sealing length(mm)	:	400
➡ Sealing width (mm)	:	10
➡ Vacuum pump rate (m <sup>3</sup> /h)	:	20
➡ Material of vacuum Chamber	:	SUS 201
➡ The center distance between two sealing bars(mm)	:	370
➡ Dimension (MM)	:	540*490*940
➡ WEIGHT	:	62 KG



## FFS POUCH PACKING MACHINE (20 GM TO 1000GM)

### SPECIFICATION


Model	LT-BP1000D
Voltage	220V/50HZ
Rated Power	1000W
Packing Speed	15-30 bags/min
Weighing Range	20-1000g
Error Range	±1%
Suitable Film	Heat sealed film
Machine Size	88 113 224cm (L*W*H)
Machine Weight	About 165KG
The Film Max Width	42cm
Max Bag Sealing Length	31cm
Hopper Size	56*28*34cm
Max Available Bag Size	20cm(W)*31cm(L)



## 200ml Electric Liquid Packing Machine (Three-Sided Seal)

### SPECIFICATION

➤ Weighing Range	:	10-200ml G
➤ Bag Size	:	5-20cm, Seal 1-18cm
➤ Film Width	:	15-25 Times / Min (Depending On Materials)
➤ Repacking Speed	:	One In A Thousand
➤ Precision	:	Self-priming
➤ Accuracy	:	220v/500w (Can Be Changed To 110v/60hz)
➤ Voltage/power	:	45kg
➤ Machine Weight	:	48*72* 140cm (L*W*H)
➤ Overall Dimension	:	Because The Machine Dimension And Function Are Constantly Upgrading, The Above Parameters Are Only For Reference, Please Refer To The Actual Model!
➤ Remarks	:	



## **AUTOMATIC POUCH PACKING MACHINE ( GRANULE TYPE)**

### **TECHNICAL SPECIFICATION**

- **PRODUCT MODAL**  
FZL-100
- **OPERATION**  
FULL AUTOMATIC
- **VOLTAGE**  
11V OR 220V
- **DIMENSION**  
430\*510\*140MM
- **POWER**  
500W
- **PREISION**  
0.3G
- **WEIGHT**  
55KG
- **SEALING TYPE**  
BACK SIDE SEALING



## 2 IN 1 SS PULVERIZER MACHINE

### SPECIFICATION

MOTOR	PRODUCTION	CHAMBER SIZE	WEIGHT	VOLTAGE	MESH	HOOPER CAPACITY
2hp Single Phase/Three Phase (2800)	20-25Kg/HR	10" X4"	45Kg Approx	220	1 To 6	10 Kg
3hp Single Phase/Three Phase (2800)	30-35Kg/HR	10" X5"	60Kg Approx	220	1 To 6	20 Kg
5hp Single Phase/Three Phase (2800)	50-55Kg/HR	11" X6"	85Kg Approx	440	1 To 6	30 Kg



## 14"×4" HEAVY-DUTY DOUBLE CHAMBER PULLVERISER MACHINE

### SPECIFICATIONS

- ⌚ Model :- 10 Hp
- ⌚ Hopper Capacity :- 60 kg
- ⌚ Front Drum :- 14"×4"
- ⌚ Back Drum :- 08×4"
- ⌚ Front Cutter :- 6" Guttkka
- ⌚ Back cutter :- 2" Guttkka
- ⌚ Baring :- SKF Company
- ⌚ Grinding Capacity :- \* 100 To 120 kg Approx
- ⌚ Machine Weight :- \* 160 kg
- ⌚ All Grains Wheat ,Millets, Besan, Maize, Ragi, Dal, Coriander, Coffee, Jowar, Bajra Rice, Masala ,Dry leaves etc....

### FREE ACCESSORY

- ⌚ Vibration Rubber :- \* 04 pis.
- ⌚ Spaner Set :- 1 set.
- ⌚ Brush :- 1 pis
- ⌚ Cotton bag :- 1 pis.
- ⌚ Jali :- 06 pis.
- ⌚ Belt & Pulli :- 1 set.



## HEAVY-DUTY PULLVERISER MACHINE WITH AIRLOCK SYSTEM MACHINE

### Specifications

- ⇒ Chamber Size-14/04
- ⇒ Back Chamber08/04
- ⇒ Air Lock Size- 6" Inch
- ⇒ With Blower+ With Cyclone
- ⇒ Air Lock With Gear Box With 1 Hp Motor
- ⇒ Capacity:-120 To 140 Kg /hour
- ⇒ Hopper Capacity:-60 To 70 Kg
- ⇒ Motor Pulli Including
- ⇒ Belt:- No
- ⇒ Vibration Rubber Set
- ⇒ 5 Jali Set



## Flour Mill (Aata Chakki)

### SPECIFICATIONS

Motor	Model	Capacity
1 HP 10"	Regular	15-20 Kg/ Hour
2 HP 12"	Regular	20 Kg/ Hour
2 HP 12"	TP Model	20 To 25 Kg/ Hour
3 HP 14"	Regular	25 To 30 Kg/ Hour
3 HP 14"	TP Model	30 To 35 Kg/ Hour
5 HP 16"	Regular	80 To 90 Kg/ Hour
5 HP 16- 4.5"	TP Model	100 To 120 Kg/ Hour
10 HP 18"	TP Model	130 To 160 Kg/ Hour



**400 WATT**



**400 Watt  
Mini Cold Press Oil Mill Machine**

**400 WATT**

**Oil Output**

SPECIFICATION	NUTS	YIELD
Model : Jc-801	Sesame	42-52%
Type : Cold Press	Sunflower	18-25%
In Put Voltage : 220-240 Volt AC	Ground Nut	40-45%
Total Power : 400 Watt	Almond	40-45%
Motor Power : 0.25 HP	Mustard	25-35%
Power Consumption : 1 Unit / 2.5 Hrs Machine Work	Walnut	30-40%
RPM : 56 Rotation Per Minute	Coconut	45-55%
Capacity : 2-5 Kg/hrs (acc. To Material Size)	Soyabean	10-14%
Keep Working : 8-10 Hrs Continues		
Weight : 12 Kg		
Size : 20(L) 8(W)* 10(H) Inch		



## COLD PRESS OIL MAKING MACHINE

### Cold Press Oil Making Machine

MODEL NAME	MOTOR HP	CAPACITY	WEIGHT	SPIRAL RAM	NO OF RING	CHAMBER SIZE
JC-60	4-HP	50 KG/H	180KG	42RPM/M	11	60MM
JC-70	5HP 7.5HP	90 KG/H	200KG	42RPM/M	14	70MM
JC-85	7.5HP 10HP	100 KG/H	250KG	42RPM/M	14	80MM
JC-100	10HP 15HP	200 KG/H	520KG	28/32 RPM/M	18	94.5MM
JC-130	20HP 30HP	400 KG/H	850KG	32/38 RPM/M	28	118MM





**1200 WATT**



**1200 Watt  
Mini Cold Press Oil Mill Machine**

**1200 WATT**

**Oil Output**

SPECIFICATION	NUTS	YIELD
Model : Jc-803	Sesame	42-52%
Type : Cold Press	Sunflower	18-25%
In Put Voltage : 220-240 Volt AC	Ground Nut	40-45%
Total Power : 1200 Watt	Almond	40-45%
Motor Power : 0.8 HP	Mustard	25-35%
Power Consumption : 1.2 Unit / 1 Hrs Machine Work	Walnut	30-40%
RPM : 72 Rotation Per Minute	Coconut	45-55%
Capacity : 8-10 Kg/hrs (acc. To Material Size)	Soyabean	10-14%
Keep Working : 10-12 Hrs Continues		
Weight : 40 Kg		
Size : 24(L)* 9(W)* 24(H) Inch		



## **CHAFF CUTTER GEAR MODEL**

**POWER (MOTOR/ENGINE) :3 HP**

**CAPACITY : 650KG/HR**

**NO.OF BLADES - 4ROTATING, 1FIXED**



## Description :

Winnower cum grader is latest technology in pre-cleaning. This machine removes both light and heavy impurities from the grain in a single process. It is best suitable for small millers and can be used in all types of grains and seeds. The Mesh can be changed as per the grain. One can operate Single or Double motor as per need.

## SPECIFICATIONS

- Product Type : Winnower cum Grader & Cleaner
- Brand : JC
- Body Material : Mild Steel
- Motor Power No. 1 : 50 W for Grading
- Motor Power No. 2 : 50 W for Cleaning
- Capacity : 400-500 kg/hr (Average)
- Application : Rice, Dal and etc. (All grain will be cleaned)
- No. of mesh extra-2 pc
- Weight : 40 Kg (Approx.)

BEFORE  
CLEANING



AFTER  
CLEANING





## CATTLE FEED PELLETS MAKING MACHINE (MADE IN INDIA)

### CATTLE FEED PELLETS MAKING MACHINE

Motor	Rpm	Voltege	Die Diagram	Production Capacity (6mm &8mm)
3 HP	1440	220	125	70 TO 80 KG APPROX
5 HP	1440	220/440	155	100 KG APPROX
7.5 HP	1440	440	165	150 TO 200 KG APPROX
10 HP	1440	440	196	300 TO 350 KG APPROX
20 HP	1440	440	225	600 TO 700 KG APPROX
30 HP	1440	440	275	700 TO 800 KG APPROX
50 HP	1440	440	300	1000 KG APPROX





## MINI RICE 6N50 BLOWER TYPE

### Specifications

- ➔ MODEL:- 6N50 BLOWER TYPE
- ➔ BRAND:- JC
- ➔ CAPACITY:- 300-350 KG /HOUR
- ➔ MOTOR REQUIRED:- 4 HP/5 HP SINGLE PHASE
- ➔ POWER CONSUMPTION:- 3 UNIT/HOUR
- ➔ PACKING SIZE:- 500×380×600 MM

**(NOTE:- This Model Gives Good capacity in Single Phase Rice Mill. It is Much Preferred in Commercial Purpose. It is a Middle Version Of 6n40 and 6n70 Rice Mill)**



## 6N70 RICE MILL MACHINE

### MACHINE SPECIFICATIONS

USAGE	POWER SOURCE	POWER CONSUMPTION	POWER	CAPACITY (RICE MILL)	VOLTAGE	SUPPLY PHASE
DOMESTIC	ELECTRIC	4 UNIT/HR	7.5 - 10HP THREE PHASE	400 TO 500 PER HOUR (PADDY)	220V	THREE PHASE



## MANUAL BRICKS MAKING MACHINE

### SPECIFICATIONS

➤ CAPACITY	:	250 (BRICKS PER HOUR)
➤ MOTOR	:	1 HP SINGLE PHASE
➤ MODAL	:	MANUAL FLY ASH BRICK MACHINE WITH VIBRATION
➤ MATERIAL	:	MILD STEEL
➤ TOLERANCE	:	0.5MM
➤ USAGE APPLICATION	:	INDUSTRIAL CONSTRUCTION
➤ BRICK RAW MATERIAL	:	FLY ASH/CEMENT SAND DUST
➤ WEIGHT	:	250 (BRICKS PER HOUR)
➤ BRICK SIZE	:	9" LENGTH X 4" WIDTH 3" HEIGHT



## 6N40 Mini Rice Mill

### 6N40 Mini Rice Mill (single)

- POWER SOURCE  
ELECTRIC
- POWER CONSUMPTION  
2.5 UNIT/HR
- WEIGHT  
52 KG.
- POWER  
3HP COPPER MOTOR
- CAPACITY  
100-150 KG. PER HOUR.
- VOLTAGE  
220V
- SUPPLY PHASE  
SINGLE




## HYDRAULIC BLISTER PACKING MACHINE

### SPECIFICATIONS

- MOTOR:- 2 HP SINGLE PHASE GODRAGE
- PANAL :- SEMI & Automatic Mode ( Digital PCB SYSTEM PANAL)
- CAPACITY:- 400 TO 500 CARD DEPENDING DAI AND MATERIAL.
- 2 SCRUBBER DAI FREE (OTHER DAI COST EXTRA)
- TANK CAPACITY:- 35 LITTER
- HEATING PLATE SIZE :- 24/16
- DOUBLE STATION MACHINE
- ALL BLISTER PACKING ( SCRUBBER, MASALA, TOY KIDS, COSMETIC, ELECTRIC ITEAM, KITCHEN WEAR ITEAM,) SMALL SCALE ITEAM PACKING MACHINE

**(NOTE:- OTHER MODIFY WORK IN EXTRA CHARGES.)**



## **Kapoor Tablet (Camphor Tablet) Making Machine**

### **SPECIFICATIONS**

- ⌚ **MOTOR:- 1 HP (LOCAL/BRAND).**
- ⌚ **Required Power:- Single/ Three phase.**
- ⌚ **Capacity:- 335 Teblet per minit.**
- ⌚ **Capacity:- 12 kg Approx. (8 Hours production).**
- ⌚ **Voltage:- 220v /380v AC.**
- ⌚ **Usase/ Application:- Only Kapoor Powder.**
- ⌚ **Dimension:- 2×2×3 Feet.**
- ⌚ **Body Structure:- MS.**
- ⌚ **Wooden Box Size :-40×41×26 INCH.**
- ⌚ **Weight:- 150 Kg With Wooden Box**



## **Fully Automatic Round Cotton Wick Machine (1 Wicks ) White**

### **Wholesale Machine**

- ⇒ Grade : Fully Automatic
- ⇒ Weight : 20 Kg
- ⇒ Production : 2 Kg/day
- ⇒ Power Supply : 220 V
- ⇒ Phase : Single Phase
- ⇒ Dc Motor : 12 Volt
- ⇒ Cotton Used 1.4 Gsm  
Sliver (Leyer) Only
- ⇒ Digital Meter Used



## **Semi Automatic Round Cotton Wick Machine**

### **SPECIFICATIONS**

- **Body Material :- Metal.**
- **Production Capacity :- 5 kg Per Day.**
- **Automatic Grade :- YES.**
- **Frequency :- 50 Hz.**
- **Motor power :- DC Motor 12V.**
- **Voltage :- 240**
- **POWER :- Single Phase.**
- **Digital Counter Meter.Machine Weight :- 15 kg**



## SEMI AUTOMATIC SINGLE CYLINDER DOUBLE DAI BUFFET PLATE MAKING MACHINE

### SPECIFICATIONS

- ⌚ HMI SYSTEM DIGITAL PANEL SYSTEM
- ⌚ Die Size - 13inch Buffet Die 2nos
- ⌚ Raw Material :- 200GSM To 500 Gsm (sheet Form)
- ⌚ Production :- 1000-1500 Pcs/hr  
(DEPENDS ON PAPER SIZE AND GSM.)
- ⌚ Power Source :- 220V 50HZ/440V 50hZ.
- ⌚ Electricity Consumption :- 2.5 Units/hr
- ⌚ Motor:- 3HP Induction Motor (single/three Phase)
- ⌚ Note Provide Oil With This Machine
- ⌚ Oil Tank Capacity: - 50 Litters
- ⌚ Dimension - 43"(l) \* 16"(w) \* 52"(h)
- ⌚ Weight: 450 Kg.
- ⌚ Warranty: - Induction Motor 1 Year



## SEMI AUTOMATIC SINGLE DAI BUFFET PLATE MAKING MACHINE

### SPECIFICATIONS

- ⌚ 14INCH AND 5 INCH CHANNEL STRUCTURE
- ⌚ Die Size :- 13INCH BUFFET DIE 1NOS
- ⌚ Raw Material :- 200GSM to 500 GSM (SHEET FORM)
- ⌚ Production :- 600-800 Pcs/Hr  
(DEPENDS ON PAPER SIZE AND GSM.)
- ⌚ Power Source :- 220v 50Hz/440v 50Hz.
- ⌚ Electricity Consumption :- 1.5 Units/Hr
- ⌚ Motor :- 2Hp Induction Motor (SINGLE/THREE PHASE)
- ⌚ Note provide oil with this machine
- ⌚ Oil tank capacity : - 40 liters
- ⌚ Dimension :- 75"(L) \* 26" (W) \* 63"(H)
- ⌚ Weight : 180 kg.
- ⌚ Warranty : - Induction motor 1 YEAR



## **New Model Heavy Duty Smooth and Mechnizem System Kapoor Tablets Machine**

### **SPECIFICATION**

- ➔ **Motor:- 2 Hp**
- ➔ **Capacity:- 300 To 400 Tablet Per Minit Production**
- ➔ **Thickness : Setup Available (3 Mm To 6mm)**
- ➔ **Different Dai :- Adjustable machine**
- ➔ **Weight:- 150 Kg Approx**





## **DOUBLE DIE DOUBLE CYLINDER SEMI AUTOMATIC HYDRAULIC MACHINE**

### **SPECIFICATIONS**

- ⌚ Capacity:-2500 to 3000/hour Pis.( Depend On Die Size And GSM.).
- ⌚ Die Size:- 4" To 14" Dai (Plain Die, Wrinkle Die, Diamond Die.).
- ⌚ Row Material Size:- 40 to 500 GSM
- ⌚ Motor:- 2 Hp (Single phase/ Three phase)
- ⌚ Motor Brand:- As Coustomer Choice (Local/Godrej/Crompton.
- ⌚ Power Consumption :- 1.5 Unit/ Hour.
- ⌚ Power Source:-220v50hz/440v50hz.
- ⌚ Pump:- Speed 12 ltr.
- ⌚ Valve:-Yukkein.
- ⌚ Operating System:-Manually/Semi/Automatic.
- ⌚ Panal :- MCB
- ⌚ Tank capacity:- 50 LTR.
- ⌚ Oil Grade:- A68 Hydraulic Oil (Not provide Oil With This Machine.)
- ⌚ Warranty:- Only Motor.
- ⌚ Machine Weight :- 250KG.



## **SINGLE DAI SEMI AUTOMATIC HYDRAULIC MACHINE**

### **SPECIFICATIONS**

- ↻ Capacity:-1500 to 3000/hour Pis.( Depend On Paper Size And GSM.).
- ↻ Die Size:- 4" To 13" Dai (Plain Die, Wrinkle Die, Diamond Die.).
- ↻ Row Material Size:- 40 to 300 GSM
- ↻ Motor:- 2 Hp (Single phase/ Three phase)
- ↻ Motor Brand:- As Customer Choice (Local/Godrej/Crompton.
- ↻ Power Consumption :- 1.5 Unit/ Hour.
- ↻ Power Source:-220v50hz/440v50hz.
- ↻ Pump:- Speed 12 ltr.
- ↻ Valve:-Yukkein.
- ↻ Operating System:-Manually/Semi/Automatic.
- ↻ Panel :- MCB
- ↻ Tank capacity:- 35 LTR.
- ↻ Oil Grade:- A68 Hydraulic Oil (Not provide Oil With This Machine.)
- ↻ Warranty:- Only Motor.
- ↻ Machine Weight :- 150KG.



## MANUAL SENSOR BLISTER PACKING MACHINE

### SPECIFICATIONS

- OPERATE:- MANUAL.
- Electricity:- Single phase.
- Bed Size/Plate Size:- 16×24.
- Machine Body:- Ms iron/Alluminium.
- Heater Work:- Auto Cut.
- Heater:- Digital Type.
- Alert Type:- After Sealing Auto Voice/Beep.
- Production :- 300 TO 350/Hours .CARD DEPENDING DAI AND MATERIAL Production Capacity.
- 1 SCRUBBER DAI FREE (OTHER DAI COST EXTRA)
- Handle :- Very Smooth.
- Single Station Machine.
- All blister packing. ( SCRUBBER, MASALA,TOY KIDS, COSMETIC, ELECTRIC ITEAM, KITCHEN WEAR ITEAM,) SMALL SCALE ITEAM PACKING MACHINE.
- Maintenance:- Only. Spring,heater, Digital meter.
- Weight:- 50 kg.



## **DOUBLE DAI DOUBLE CYLINDER AUTOMATIC HYDRAULIC MACHINE**

### **SPECIFICATIONS**

- ➔ **CAPACITY** : 2000 TO 4000/HOUR PCS
- ➔ **MOTOR** : 2 HP GODREJ/V GUARD LOCAL
- ➔ **PUMP** : SPEED 12 LTR
- ➔ **VALVE** : YUKKEIN
- ➔ **OPERATING SYSTEM** : MANUALLY/SEMI/AUTOMATIC

